Qty:

8 Um:

Each

: SADDLE, INBOARD, LS, 206

: D26661

: N/A

: D

: D2666 REV. D

: 11/03/2009

Date:

Friday, 27/02/2009 10:35:50 AM

User

Julie Dawson

Process Sheet

Drawing Name

Part Number

Material Due Date

Drawing Number

Project Number

Drawing Revision

Customer Job Number : CU-DAR001 Dart Helicopters Services

Type

S.O. No. :

: 46099 : 10820

Estimate Number

P.O. Number

This Issue : 27/02/2009

: NC

Prsht Rev. First Issue : //

: 44284 **Previous Run**

Written By

Checked & Approved By

Comment

: Est: C

00.11.01

Removed P/O for Powder Coat - in house

processEC

Est Rev:D As per Rev D 07-03-19 JLM

: MACHINED PARTS

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

1.0

2:0

D6101001

Saddle Billet



Comment: Qtv.:

Total: 1.0000 Each(s)/Unit

8.0000 Each(s)


7075-T7351 2X6X6.25 Issue material from stock: Cut Size 2.0 x 6.25 X 6.0 Grain Along Long 6.0 Length

HAAS1









Program batch number.

- 1- Inspect part number and batch number are programmed correctly.
- 2- Machine Step No 1 of Folio and visually inspect as per attached Dimension Sheet
- 3- Machine Step No 2 of Folio and visually inspect as per attached Dimension Sheet
- 4- Machine Step No 3 of Folio and visually inspect as per attached Dimension Sheet

5- Deburr

CONVENTIONAL MILLING MACHINE



Comment: CONVENTIONAL MILLING MACHINE

Machine Keyway and inspect per attached dimension sheet

J.F. 09/04/14 (8

4.0

3.0

QC2

INSPECT PARTS AS THEY COME OFF MACHINE

Comment: INSPECT PARTS AS THEY COME OFF MACHINE



Dart Aerospace	Ltd
-----------------------	-----

W/O:		WORK ORDER CHANGES							
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector		
		<u> </u>			1				

Part No:	PAR #:	Fault Category:	NCR: Yes No DQA:	Date:
	Resolution:	Disposition:	QA: N/C Closed:	Date:

NCR:			WORK ORDI	ER NON-CONFORMANO	CE (NCR)			
DATE	0750	Description of NC Corrective Action Section B Verif					Anneoval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Approval Chief Eng	QC Inspector
:								
					·		1	
								e '
		<u> </u>						

Date: Friday, 27/02/2009 10:35:50 AM User: Julie Dawson **Process Sheet** Customer: CU-DAR001 Dart Helicopters Services Drawing Name: SADDLE, INBOARD, LS, 206 Job Number: 46099 Part Number: D26661 Job Number: Seq. #: **Machine Or Operation:** Description: 5.0 QC8 SECOND CHECK 09/04/15 Comment: SECOND CHECK HAND FINISHING1 HAND FINISHING RESOURCE #1 6.0 Comment: HAND FINISHING RESOURCE #1 09 04 15 Acid etch and Alodine as per QSI 005 4.1 7.0 Comment: POWDER COATING Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 muo 939START TIME: **OVEN TEMPERATURE** FINISH TIME: QC3 8.0 Comment: INSPECT POWDER COAT 9.0 PACKAGING 1 PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Identify and Stock

Location:



09/04/22

Comment: FINAL INSPECTION/W/O RELEASE

Job Completion

10.0



Dart Aerospace Ltd

		— - -							
W/O:			WO	RK ORDER CHANGI	ES				<u>.</u>
DATE	STEP	PRO	PROCEDURE CHANGE				Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
							<u> </u>		
							1		
Part No:		PAR #:	Fault Categ	ory:	NCR: Yes	No DQ	A:	Date:	
	R	esolution:	Disposition	:	QA: N/C C	osed:		Date: _	
NCR:		-	WORK ORDE	R NON-CONFORMA	NCE (NCF	R)			
DATE	STEP	Description of NC	escription of NC Corrective Ac		VARI			rification Approval	
		Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Secti	on C	Chief Eng	Approval QC Inspector
								-	
	· I	1	1 1		1	1		i	1

DART AEROSPACE LTD	Work Order:	W6099
Description: 206 Saddle, Inboard, Left side	Part Number:	D2666-1
Inspection Dwg: D2666 Rev. D		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2666 Rev. D and record below:

				Red	corded Actu	ıal Dimensi	ons		
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.100	0.140		123	./23	122	,122		
В	0.100	0.140		120	120	120	,121		
С	2.470	2.510		2.500	2 500	2 500	2 500"		
D	0.100	0.180		. 135	135	7.73.5	13.5"		
E	0.210	0.230		220	218	. 219"	214		
F	1.313	1.343		1.300	1,322	1.322	1322"		
G	0.240	0.260		1244"	247"	,247	247		
Н	0.615	0.685		.645	645	645	645		
1	1.125	1.145		B1.136	B1.136	B1.137	81.137		
J	0.990	1.010		1.007	1.007	1.007	1007		
K	0.235	0.240		1,238	238	.238	(238)		
L	0.510	0.515		510	5/0	5h	,510"		
M	0.100	0.120		115"	.115	.115	.115"		
N	1.565	1.585		R1:578	B1.578	R/ 579	B1. 579		
0	5.990	6.010		6.002	6.002	6,002"	6 332		
P	1.245	1.255		1.250	1,250	1 250	1250		
Q	2.495	2.505		2500	2.500	2.500	2 500		
R	0.490	0.510		.500	5021	503	,502.		
S	0.313	0.318		Ø.313	Ø.3/3"	D 313	9.313		
Т	2.495	2.505		2 500	2. 500	2.500	2500	'	
U	1.357	1.367		1.363	1.363	1.363"	1,363		
V	0.315	0.322		0.320	0.320	0.320	6.320		
W	0.540	0.560		550	.552"	551"	[355]*I		
Х	1.674	1.684	•	1.678"	1.678	1678	1,678		
Υ	0.257	0.262		0.259	0,259	Ø 259	0,259"		
Z	0.178	0.198		B. 188	B.188	B. 188"	B.188		
AA									
AB									
AC							-		
AD									
AE									
AF									

Measured by: T.F.	Audited by
Date: 09/04/14	Date: 09/04//5

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	99.04.19	Incorporated DSI 9095, DSI 9102 & DSI 9122 Rev. A	RF	
С	99.11.10	Added Dim. R-T	RF	"
D	02.12.12	Reformat; Added Dim. U-W & DT8683, DT8686 & DT8695 A/B	KJ/RF	
Е	06.06.30	Dimension revised per drawing revision C	KJ/JLM	
F	06.09.19	Reference to DT8888 added to Dim N	KJ/EC , ,	1
G	07.03.21	Revised per drawing revision D	KJ/JLM ♂	

Dart Aerospace	Ltd
----------------	-----

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
					:			
Part No								

Part No:		PAR #:	Fault Category:	NCR: Yes No	DQA:	Date:
	Resolution:		Disposition:	QA: N/C Closed		Date:

NCR: WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC		Corrective Action Section B		Verification		A
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspecto
		÷						
		<u>.</u>						
·								

DART AEROSPACE LTD	Work Order:	46099
Description: 206 Saddle, Inboard, Left side	Part Number:	D2666-1
Inspection Dwg: D2666 Rev. D		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2666 Rev. D and record below:

			•	Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.100	0.140		(12)	122	122	/22		
В	0.100	0.140		127	120	120	120		
C	2.470	2.510		2.500	2 500	2 500	2.500		
D	0.100	0.180		135	13.5	135"	.135		
E	0.210	0.230		220	220	.318	219"		
F	1.313	1.343		1322	1322	1 322	1322		
G	0.240	0.260		347	248	249	248		
Н	0.615	0.685		645	645	1645	645		
1	1.125	1.145		R/137"	B1135	B/135	B1./35		
J	0.990	1.010		1007	1007"	1.007	1.007		
K	0.235	0.240		238	238	238	238		
L	0.510	0.515		513	511	512	5/0		
М	0.100	0.120		115	1/5	715	1/5		
N	1.565	1.585		B1 579	P.7.578	B1.578	B1.578		
0	5.990	6.010		6.002"	6.000	6002	6002		1
Р	1.245	1.255		1. 250	1, 252	1250	1 250		
Q	2.495	2.505		2 300	2 500	2.500	2 500		
R	0.490	0.510		523	,500	500	501"		
S	0.313	0.318		0.3/3	0.3/3"	0.313	8,313		
T	2.495	2.505		2 500	2 500	2 520	2.500		
U	1.357	1.367		1.363	1.363	1,363	1.303		
V	0.315	0.322		1.320	0,320	0.320	0,320		
W	0.540	0.560		5527	55/	552	550		
X	1.674	1.684		1.678	1.678	1.678	1,678		
Y	0.257	0.262		0.259	21.259	8.259	0.259		
Z	0.178	0.198		R. 188"	B 188"	B.188	B. 188		
AA						,,,,,,			
AB									
AC									
AD									
AE									
AF									

Measured by: J. F	Audited by J-4
Date: 3'9/04/14	Date: 09/64//5

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	99.04.19	Incorporated DSI 9095, DSI 9102 & DSI 9122 Rev. A	RF	
С	99.11.10	Added Dim. R-T	RF	
D	02.12.12	Reformat; Added Dim. U-W & DT8683, DT8686 & DT8695 A/B	KJ/RF	
E	06.06.30	Dimension revised per drawing revision C	KJ/JLM	
F	06.09.19	Reference to DT8888 added to Dim N	KJ/EC	_1
G	07.03.21	Revised per drawing revision D	KJ/JLM	

Dart Aerospace Ltd


W/O:		WORK ORDER CHANGES								
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector			


Part No:	PAR #:	Fault Category:	NCR: Yes No DQA:	Date:
	Resolution:	Disposition:	QA: N/C Closed:	Date:

NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
D.4.T.E	0750	Description of NC		Corrective Action Section B		Verification Approval	Annyoval			
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector		
		(
		·								



DESIG	4	DRAWN BY	DART AEROSPACE USA, INC.
CHECH		APPROVED J	DRAWING NO. REV. D
	PH	1	D2666 SHEET 1 OF 1
DATE			TITLE SCALE
06.1	1.08		SADDLE FWD INSIDE HIGH 1:3
 Α		97.03.25	NEW ISSUE
В		97.07.11	ANGLE AND NOTES ADDED
С		06.05.26	INCORPORATE DEO 9122, 9102, 9095
D		06.11.08	RO.188 WAS RO.30; Ø0.316 WAS Ø0.313






NOTES: 1) MATERIAL: ALUMINUM 7075-T7351 (QQ-A-250/12)


(MAKE FROM D6101-001 SADDLE BILLET, 7075)

CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 2) FINISH: POWDER COAT GLOSS WHITE (4.3.5.1) PER DART QSI 005 4.3
3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

4) BREAK ALL SHARP EDGES 0.010 TO 0.020 5) D2666-1 SHOWN (D2666-2 IS OPPOSITE)



D2666-1 SADDLE FWD INSIDE HIGH



SHOP COPY

RETURN TO

ENGINEERING

WITHOUT NOTICE

ONTROLLED COPY

RO.250 R0.525 **#0.313** (TYP 4 PLACES) 0.050 X 45' CHAMFER ALL AROUND 0.500 JBJECT TO AMENDMENT 1.250 1.250 2,500 6.000

Copyright @ 1997 by DART AEROSPACE USA, INC.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES									
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approva QC Inspector				
							·				
						<u></u>					

Part No:		PAR #:	Fault Category:	NCR: Yes No DQA:	Date:
	Resolution:	٠.	Disposition:	QA: N/C Closed:	Date:

NCR:			WORK ORDER NON-CONFORMANCE (NCR)								
DATE	0750	Description of NC		Corrective Action Section B			Approval	Annuoval			
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspector			
•				•							
								·			
		1	- 1								